

Department of Defense Index of Specifications and Standards



DODISS NOTICE

1 June 2006

For Period 15 May 2006 to 31 May 2006

Vol. 10 / No. 6

DODISS NOTICE

If you rely on the DODISS Notice to keep you informed of the latest changes and or new Standardization documents index in the DODISS then we encourage you to register for your ASSIST Online account (there is no charge for this).

Once you have your account you can take advantage of the ASSIST Alert Service. Simply establish your ASSIST Alert Portal profile, for more information visit our ASSIST web site at:

<http://assist.daps.dla.mil>

Documents listed in this notice have either an indicator of “N” (new), or “M” (modified).

“N” - indicates that this is a new document that has been entered into our database.

“M” - indicates that a modification has taken place to our database. This could be a revision to a document or an amendment / change / notice to an existing document.

ACTIVE SECTION

DODISS NOTICE

LAST ACTION			DISTRIBUTION	FSC/AREA	MCA	PREP ACTY	DATE
	DOCUMENT NUMBER	DOCUMENT TITLE					
M	A-A-59650A	Bearings, Roller, Tapered, Single Row, Normal Angle, Flanged Cup (Type TSF) [CUST: AR MC 99] [REVIEW: 84 OS]	A	3110	/	GS4	22-MAY-2006
M	A-A-59651A	Bearings, Roller, Tapered, Single Row, Steep Angle (Type TSS) [CUST: AR MC 99] [REVIEW: 84 OS]	A	3110	/	GS4	22-MAY-2006
M	A-A-59652A	Bearings, Roller, Tapered, Single Row, Steep Angle, Flanged Cup (Type TSSF) [CUST: AR MC 99] [REVIEW: 84 OS]	A	3110	/	GS4	22-MAY-2006
M	A-A-59653A	Bearings, Roller, Tapered, Double Row, One Double Cone, Two Single Cups (Types TDI and TDIS) [CUST: AR MC 99] [REVIEW: 84 OS]	A	3110	/	GS4	22-MAY-2006
M	A-A-59654A	Bearings, Roller, Tapered, Double Row, Normal Angle, Two Single Cones, One Double Cup (Type TDO) [CUST: AR MC 99] [REVIEW: 84 OS]	A	3110	/	GS4	22-MAY-2006
M	A-A-59655A	Bearings, Roller, Tapered, Double Row, Steep Angle, Two Single Cones, One Double Cup (Type TDOS) [CUST: AR MC 99] [REVIEW: 84 OS]	A	3110	/	GS4	22-MAY-2006
M	A-A-59656A	Bearings, Roller, Tapered, Double Row, Normal Angle, Two Single Cones, One Double Cup, Nonadjustable (Type TNA) [CUST: AR MC 99] [REVIEW: 84 OS]	A	3110	/	GS4	22-MAY-2006
M	A-A-59657A	Bearings, Roller, Tapered, Double Row, Steep Angle, Two Single Cones, One Double Cup, Nonadjustable (Type TNAS) [CUST: AR MC 99] [REVIEW: 84 OS]	A	3110	/	GS4	22-MAY-2006
M	A-A-59658A	Bearings, Roller, Tapered, Double Row, Straight Bore, Two Single Cones With Contacting Front Faces Slotted and Chamfered for Lubrication, One Double Cup With Lubrication Holes and Groove (Type TNASW) [CUST: AR MC 99] [REVIEW: 84 OS]	A	3110	/	GS4	22-MAY-2006
M	A-A-59659A	Bearings, Roller, Tapered, Double Row, Straight Bore, Two Single Cones, Cone Back Face Rib Ground on the Outer Diameter for Sealing Purposes, One Double Cup with Lubrication Holes and Groove (Type TNASWE) [CUST: AR MC 99] [REVIEW: 84 OS]	A	3110	/	GS4	22-MAY-2006
M	A-A-59345 NOT 1	Grinding Machine, Cylindrical, External, Plain [CUST: SH 99 GS6] [REVIEW: 84 OS]	A	3415	/	GS6	15-MAY-2006
M	A-A-59175 NOT 1	Honing Machines, Horizontal, Single-Spindle [CUST: AR SH 99] [REVIEW: 84 MC]	A	3419	/	GS6	15-MAY-2006
M	A-A-59461 NOT 1	Grinding and Sanding Machine, Platen, Abrasive Belt, Wet and Dry [CUST: AR SH 99] [REVIEW: 84 MC OS]	A	3419	/	GS6	15-MAY-2006
M	A-A-59375 NOT 1	Furnaces, Heat-Treating, Electric, Natural Atmosphere, Box Type [CUST: AR AS 99] [REVIEW: 84 AV CR SM]	A	3424	/	GS6	15-MAY-2006
M	A-A-59397 NOT 1	Welding Machines, ARC, DC, Generator, Constant Current, Internal Combustion Engine Driven [CUST: AV YD 99] [REVIEW: 84 MC SH]	A	3431	/	GS6	15-MAY-2006
M	A-A-59454 NOT 1	Welding Machines, ARC, AC/DC, Generator, Constant Current, Internal Combustion Engine Driven [CUST: CE SH 99] [REVIEW: 84 MC OS YD]	A	3431	/	GS6	15-MAY-2006
M	A-A-51153B NOT 1	Cleaning Sets, Oxygen and Acetylene, Welding and Cutting Torch Tips [CUST: AR SH 99 GS6] [REVIEW: 84]	A	3439	/	GS6	15-MAY-2006
M	A-A-51172A NOT 1	Forming Machine, Sheet Metal, Rotary, Manually Operated, Bench Mounted Combination Type [CUST: AR 99] [REVIEW: 84]	A	3441	/	GS6	15-MAY-2006
M	A-A-59411 NOT 1	Dimpling Machine, Hot and Cold Process, Portable [CUST: SH 99 GS6] [REVIEW: 84 AS MC OS]	A	3448	/	GS6	15-MAY-2006
M	A-A-59388 NOT 1	Thread and Form Rolling Machines, Rotary Die, Power Driven, Horizontal [CUST: AR SH 99 GS6] [REVIEW: 84 MC]	A	3449	/	GS6	15-MAY-2006
M	A-A-51136D	Tool Holder, Threading Tool Type, Lathe [CUST: AT SH 99] [REVIEW: 84 MC]	A	3460	/	GS6	18-MAY-2006
M	A-A-55748 NOT 2	Sprayers, Insecticide, Manually-Carried: Hand-Operated-Compression [CUST: MD YD 99 GS7] [REVIEW: 84 CG MC MS]	A	3740	/	GS7	15-MAY-2006
M	QPL-904-61 NOT 1	Hoists, Chain, Hand-Operated, Hook and Trolley Suspension (Replaced by the Qualified Products Database (QPD) See Notice for Additional Information)	A	3950		SH	21-APR-2006
N	MIL-PRF-32197	Heater, Space - Non-Powered, Liquid Fuel, Small [CUST: GL YD 99] [REVIEW: 84 CR4 IS MC]	A	4520		GL	25-APR-2006
M	MS39325C	Hose Assemblies; Air (Type I) and Vacuum (Type II) Brake 3/8 Inch Nominal Diameter [CUST: AT MC 99 CC] [REVIEW: 71 MI SA]	A	4720		CC	17-MAY-2006
M	MS52104D	Hose Assembly, Rubber: Fuel and Oil, Low Pressure, Flared Tube [CUST: AT YD CC] [REVIEW: AR AV MC MI SH]	A	4720		CC	12-APR-2006
M	MS500077E	Hose Assembly, Rubber: Hydraulic and Pneumatic, Medium Pressure, Female 37 Degrees FLARED TUBE [CUST: AT SH 99 CC] [REVIEW: 11 71 AR AS AV CR4 MC MI SA]	A	4720		CC	17-MAY-2006
M	MS500083E	Hose Assembly, Nonmetallic: Hydraulic and Pneumatic, High Pressure, Female 37 Degrees Flared Tube [CUST: AT SH 99 CC] [REVIEW: 11 71 AR AS AV CR4 MC MI SA]	A	4720		CC	17-MAY-2006
M	A-A-59616A	Pipe Fittings: Bushings, Locknuts, and Plugs; Iron, Steel, and Aluminum: (Threaded); 125 - 150 Pounds [CUST: AT SH 99 CC] [REVIEW: 71 AR CG EA MC SA]	A	4730	/	CC	27-FEB-2006
M	QPL-17578-14 NOT 1	Packing Material, Plastic (for Dogs for Watertight Closures) (Symbol 1425) (Replaced by the Qualified Products Database (QPD) See Notice for Additional Information)	A	5340		SH	06-APR-2006
M	MIL-PRF-15160J SUP 1	Fuses, Instrument, Power, and Telephone General Specification for [CUST: CR SH 11 CC] [REVIEW: 19 99 AR AS AT CG CR4 MC MI OS YD]	A	5920		CC	15-MAY-2006
M	A-A-55519B	Fuse, Inclosed Link, Subminiature, Surface Mount (SM), General Requirements for [CUST: EC CC]	A	5920	/	CC	16-MAY-2006
M	A-A-55519/2C	Fuse, Inclosed Link, Subminiature, Surface Mount (SM), Time Delay, With End Caps [CUST: EC CC]	A	5920	/	CC	16-MAY-2006
M	A-A-55519/3B	Fuse, Inclosed Link, Subminiature, Surface Mount (SM), Very Fast Acting, With Wrap Around Terminals [CUST: EC CC]	A	5920	/	CC	16-MAY-2006
M	A-A-55519/4B	Fuse, Inclosed Link, Subminiature, Surface Mount (SM), Time Delay, With Wrap Around Terminals [CUST: EC CC]	A	5920	/	CC	16-MAY-2006
M	MIL-PRF-8805/4P	Switches, Sensitive, SPDT, Unsealed [CUST: CR EC 11 CC] [REVIEW: 19 99 AR AS AV MC MI OS SH]	A	5930		CC	22-MAY-2006
M	MIL-DTL-55302/89E	Connectors, Printed Circuit Subassembly and Accessories: Plug, Right Angle, Hermaphroditic Contacts (.100 Spacing) [CUST: CR CC] [REVIEW: AR AT AV CR4 MI]	A	5935		CC	18-MAY-2006
M	MIL-DTL-55302/113F	Connectors, Printed Circuit Subassembly and Accessories: Plug, Straight-Thru, 30 thru 140 Contact Positions, Crimp Removable Contacts (.100 Sq. Grid) [CUST: 11 CC] [REVIEW: 19 99]	A	5935		CC	22-MAY-2006
M	MIL-DTL-83517/1A(1)	Connector, Receptacle, Electrical, Coaxial, Radio Frequency, Strip or Microstrip Transmission Line, Series SMA (Socket Contact, Flange Mounted Tab Terminal) [CUST: CR EC 11 CC] [REVIEW: 99 AR AS AT CR4 MC MI OS SH]	A	5935		CC	12-MAY-2006
M	QPL-28748-69	Connector, Plug and Receptacle, Rectangular, Rack and Panel Solder Type and Crimp Type Contacts General Specification for	A	5935		CC	17-MAY-2006
M	QPL-83513-53	Connectors, Electrical, Rectangular, Microminiature, Polarized Shell, General Specification for	A	5935		CC	17-MAY-2006
N	MIL-PRF-32085/2	Relay, Electromagnetic, SPST, 270 Volt DC, 100 Ampere, Hermetically Sealed, Electrically Held or Magnetic Latching [CUST: CR 11 CC] [REVIEW: 99]	A	5945		CC	11-MAY-2006

ACTIVE SECTION

DODISS NOTICE

LAST ACTION			DISTRIBUTION	FSC/AREA	MCA	PREP ACTY	DATE
	DOCUMENT NUMBER	DOCUMENT TITLE					
M	MIL-PRF-19500/127T	SEMICONDUCTOR DEVICES, DIODE, SILICON, VOLTAGE REGULATOR, TYPES 1N4370A-1 THROUGH 1N4372A-1 AND 1N746A-1 THROUGH 1N759A-1, 1N4370AUR-1 THROUGH 1N4372AUR-1 AND 1N746AUR-1 THROUGH 1N759AUR-1, 1N4370C-1 THROUGH 1N4372C-1 AND 1N746C-1 THROUGH 1N759C-1, 1N4370CUR-1 THROUGH 1N4372CUR-1 AND 1N746CUR-1 THROUGH 1N759CUR-1, 1N4370D-1 THROUGH 1N4372D-1 AND 1N746D-1 THROUGH 1N759D-1, 1N4370DUR-1 THROUGH 1N4372DUR-1 AND 1N746DUR-1 THROUGH 1N759DUR-1, JAN, JANTX, JANTXV, JANHC, AND JANKC [CUST: CR EC 11 CC] [REVIEW: 19 AR AS AV MC MI SM]	A	5961		CC	23-MAY-2006
M	MIL-PRF-19500/355L	Semiconductor Device, Unitized Dual Transistor, NPN, Silicon, Types 2N2919, 2N2920, 2N2919L, 2N2920L, 2N2919U, and 2N2920U, JAN, JANTX, JANTXV, JANS, JANHC, and JANKC [CUST: CR EC 11 CC NA] [REVIEW: 19 99 AR AS MC MI SM]	A	5961		CC	02-JUN-2006
M	MIL-PRF-19500/357J	Semiconductor Device, Transistor, PNP, Silicon, Amplifier, Types 2N3634 through 2N3637, 2N3634UB through 2N3637UB, 2N3634L through 2N3637L JAN, JANTX, JANTXV, JANS, JANHC and JANKC [CUST: CR EC 11 CC NA] [REVIEW: 19 71 AR AS MC MI SH SM]	A	5961		CC	18-MAY-2006
M	MIL-PRF-19500/376G	Semiconductor Device, Transistor, NPN, Silicon, Low-Power Types 2N2484, 2N2484UA, 2N2484UB, JAN, JANTX, JANTXV, JANS, JANHC, and JANKC [CUST: CR EC 11 CC NA] [REVIEW: 19 AR AS MC MI SH SM]	A	5961		CC	15-MAY-2006
M	MIL-PRF-19500/554D	Semiconductor Device, Diode, Silicon, Schottky Barrier, Fast Recovery, Type 1N6392, JAN, JANHC, JANTXV, and JANHC [CUST: 11 CC] [REVIEW: 19 99]	A	5961		CC	25-MAY-2006
M	MIL-PRF-19500/559H	Semiconductor Device, Unitized, NPN, Silicon, Switching, Four Transistor Array, Types 2N6989, 2N6989U, and 2N6990, JAN, JANTX, JANTXV, and JANS [CUST: CR EC 11 CC] [REVIEW: 19 99 AR AS MC MI SM]	A	5961		CC	02-JUN-2006
M	MIL-M-38510/657A	Microcircuits, Digital, High-Speed CMOS, Buffer Gates, Monolithic Silicon [CUST: CR EC 11 CC] [REVIEW: 03 19 99 AS CG MC MI SH SM TD]	A	5962		CC	19-MAY-2006
M	MIL-PRF-25670B(2)	Earphone Elements, General Specification for [CUST: CR 11 CC] [REVIEW: 99]	A	5965		CC	06-MAR-2006
M	MIL-DTL-27467B NOT 1	Headset, Electrical H-154A/AIC [CUST: 11 CC] [REVIEW: 99]	A	5965		CC	20-APR-2006
M	MIL-DTL-3933H(1) SUP 1	Attenuators, Fixed General Specification for [CUST: CR EC 11 CC] [REVIEW: 71 99 AS MC MI NA SH]	A	5985		CC	12-MAY-2006
M	MIL-DTL-39030E SUP 1	Dummy Loads, Electrical, Coaxial and Stripline, General Specification for [CUST: CR EC 11 CC] [REVIEW: 19 99 AS AV MC MI OS SH]	A	5985		CC	21-APR-2006
M	QPL-7032-36	Inverters, Aircraft, General Specification for	A	6125		AS	24-MAY-2006
M	QPL-8565-28	Batteries, Storage, Aircraft, General Specification for	A	6140		AS	26-MAY-2006
M	MIL-PRF-17850B NOT 1	Compass, Magnetic, Pocket [CUST: GL SH 99 GS1] [REVIEW: 71 AV]	A	6605		GS1	15-MAY-2006
M	QPL-19088-18 NOT 1	Wattmeters, Switchboard Type, 4-1/2-Inch (Replaced by the Qualified Products Database (QPD) See Notice for Additional Information)	A	6625		SH	13-APR-2006
M	A-A-59462 NOT 1	Indicator, Sight, Liquid, Refrigerant [CUST: GL YD 11 GS1] [REVIEW: MC SH]	A	6680	/	GS1	15-MAY-2006
M	A-A-59123 NOT 1	Sodium Dichromate Dihydrate, Technical [CUST: MI OS 68 GS3]	A	6810	/	GS3	15-MAY-2006
M	A-A-59476 NOT 1	Ammonium Nitrate, Technical [CUST: OS 68] [REVIEW: SH]	A	6810	/	GS3	15-MAY-2006
M	MIL-DTL-44410B	Insect Repellent, Clothing Application, Individual Dynamic Absorption Application (IDAA) Kit [CUST: GL1 68] [REVIEW: MD PM]	A	6840		GS3	19-MAY-2006
M	MIL-PRF-11090H(1)	Cleaning Compound, Degreasing and Depreserving Solvent [CUST: MR OS] [REVIEW: CR4 GL1 MC MD1]	A	6850		GS3	19-MAY-2006
M	A-A-3012A	Dining Packets [CUST: GL SA 35] [REVIEW: 84 99 MD QM]	A	7360	/	SS	17-MAY-2006
M	A-A-2192A NOT 2	Paper Blotting	A	7530	#	FSS	28-APR-2006
M	QPL-22019-21	Barrier Materials, Transparent, Flexible, Sealable, Volatile Corrosion Inhibitor Treated	A	8135		AS	11-MAY-2006
M	MIL-DTL-3943/300A	Decoration, Chief's Commendation Medal, U.S. Border Patrol [CUST: IH] [REVIEW: CT]	A	8455		IH	24-MAY-2006
M	QPL-18458-32 NOT 1	Grease, Wire Rope-Exposed Gear (Replaced by the Qualified Products Database (QPD) See Notice for Replacement Information)	A	9150		SH	03-APR-2006
N	DI-ENVR-81663	Environmental Stress Screening (ESS) Report [AMSC: N7565]	A	ENVR		SA	11-MAY-2006
N	DI-MISC-81664	Cabinet Shipment Record [AMSC: N7566]	A	MISC		SA	11-MAY-2006
N	GEIA-859	Data Management [CUST: AM AS 10]	A	SESS		SE	15-MAR-2006
N	MIL-STD-188-186	Interoperability Standard for UHF SATCOM Short-Delay Report-Broadcast Service [CUST: CR EC 02 NS] [REVIEW: 11 13 99 AC CG CM DC5 DI DMS IR MC MI MP NC OM SE US]	A	TCSS		DC1	31-MAR-2006
M	MIL-STD-40051-1(1)	Preparation of Digital Technical Information for Interactive Electronic Technical Manuals (IETMs) [CUST: TM MC] [REVIEW: AC1 AR AT AV CR EA MI PT]	A	TMSS		TM	12-MAY-2006
M	MIL-STD-40051-2(1)	Preparation of Digital Technical Information for Page-Based Technical Manuals [CUST: TM MC] [REVIEW: AC1 AR AT AV CR EA MI PT]	A	TMSS		TM	12-MAY-2006

INACTIVE SECTION

DODISS NOTICE

LAST ACTION			DISTRIBUTION	FSC/AREA	MCA	PREP ACTY	DATE
	DOCUMENT NUMBER	DOCUMENT TITLE					
M	MIL-DTL-55302/102E	Connectors, Printed Circuit Subassembly and Accessories: Receptacle, Straight-Thru, Hermaphroditic Contact, Crimp Removable, for Printed Wiring Boards (.100 Inch Spacing) [CUST: CR CC] [REVIEW: AR AT AV CR4 MI]	A	5935		CC	22-MAY-2006
M	MIL-PRF-19500/193E	Semiconductor Device, Diode, Silicon, Rectifier Types 1N457, 1N458, and 1N459, JAN [CUST: CR CC] [REVIEW: AR MI SM]	A	5961		CC	12-MAY-2006
M	MIL-PRF-26542/7B(1)	Microphone Assembly, M-94B/A [CUST: CR EC 11 CC] [REVIEW: 99 AS AT AV CR4 OS]	A	5965		CC	14-FEB-2006
M	MIL-P-50884D(2)	Printed Wiring Board, Flexible and Rigid-Flex, General Specification for [CUST: CR EC 11 CC] [REVIEW: 16 99 AR AS MC MI OS SH TD]	A	5998		CC	29-MAY-2006
M	MIL-C-83522/1F	Connector, Plug, Fiber Optic, Single Terminus, Threaded, (Step-Down Nose Interface), Lensless, Epoxy, for 50/125 um, 62.5/125 um, and 100/140 um [CUST: CR SH 11 CC NA] [REVIEW: 02 03 19 33 93 99 AS DI]	A	6060		CC	17-MAY-2006
M	MIL-C-83522/2G	Connector Plug, Fiber Optic, Single Terminus, Threaded, (Straight Nose Interface), Lensless, Epoxy, for 50/125 mm, 62.5/125 mm, and 100/140 mm [CUST: CR SH 11 CC] [REVIEW: 02 03 19 33 93 99 AS DI NA]	A	6060		CC	17-MAY-2006
M	MIL-C-83522/3G	Connector, Adapter, Fiber Optic, Bulkhead Mount, for Single Fiber [CUST: CR SH 11 CC] [REVIEW: 02 03 19 33 93 99 AS DI NA]	A	6060		CC	17-MAY-2006
M	MIL-C-83522/4F	Connector, Receptacle, Fiber Optic, Single Terminus, Threaded, Receptacle, Low Profile Parallel PC Mount [CUST: CR SH 11] [REVIEW: 02 03 19 33 93 99 AS DI NA]	A	6060		CC	17-MAY-2006
M	MIL-C-83522/5E	Connector, Receptacle, Fiber Optic, Bulkhead Mount, for Single Fiber [CUST: CR SH 11 CC] [REVIEW: 02 03 19 33 93 99 AS DI NA]	A	6060		CC	17-MAY-2006
M	MIL-C-83522/7C	Connector, Receptacle, Fiber Optic, Single Terminus, Threaded, Parallel PC Mount [CUST: CR SH 11 CC] [REVIEW: 02 03 19 33 93 99 AS DI NA]	A	6060		CC	17-MAY-2006
M	MIL-C-83522/8C	Connector, Receptacle, Fiber Optic, Single Terminus, Threaded, Bulkhead, Hex Nut Mount [CUST: CR SH 11 CC] [REVIEW: 02 03 19 33 93 99 AS DI NA]	A	6060		CC	17-MAY-2006
M	MIL-DTL-23020C SUP 1	Cable, Coaxial (for Submarine use) [CUST: EC CC]	A	6145		CC	07-APR-2006
M	MIL-PRF-63042D(1) NOT 1	Manuals, Technical: Procedures for Destruction of Equipment to Prevent Enemy Use [CUST: TM] [REVIEW: AR AT AV CR MI]	A	TMSS		TM	12-MAY-2006

CANCELED SECTION

DODISS NOTICE

LAST ACTION			DISTRIBUTION	FSC/AREA	MCA	PREP ACTY	DATE
	DOCUMENT NUMBER	DOCUMENT TITLE					
M	WW-P-471C(1) NOT 2	Pipe Fittings: Bushings, Locknuts, and Plugs; Iron, Steel, and Aluminum; (Threaded); 125-150 Pounds (S/S by A-A-59616) [CUST: AT SH 99 CC] [REVIEW: 71 AR EA MC SA]	A	4730	/	CC	27-FEB-2006
M	MIL-PRF-49470/3B NOT 1	Capacitors, Fixed, Ceramic Dielectric, Switch Mode Power Supply (General Purpose and Temperature Stable), Standard Reliability and High Reliability, Conformally Coated, Horizontally Stacked, Style PS03 (No S/S Document) [CUST: CR EC 11 CC NA] [REVIEW: 19 99 AR AT AV CR4 MC MI]	A	5910		CR	23-MAY-2006
M	MIL-PRF-49470/4B NOT 1	Capacitors, Fixed, Ceramic Dielectric, Switch Mode Power Supply (General Purpose and Temperature Stable), Standard Reliability and High Reliability, Unencapsulated, Vertically Stacked, Style PS04 (No S/S Document) [CUST: CR EC 11 CC NA] [REVIEW: 19 99 AR AT AV CR4 MC MI]	A	5910		CR	23-MAY-2006
M	MIL-PRF-49470/5B NOT 1	Capacitors, Fixed, Ceramic Dielectric, Switch Mode Power Supply (General Purpose and Temperature Stable), Standard Reliability and High Reliability, Encapsulated, Vertically Stacked, Style PS05 (No S/S Document) [CUST: CR EC 11 CC NA] [REVIEW: 19 99 AR AT AV CR4 MC MI]	A	5910		CR	23-MAY-2006
M	MIL-PRF-49470/6B NOT 1	Capacitors, Fixed, Ceramic Dielectric, Switch Mode Power Supply (General Purpose and Temperature Stable), Standard Reliability and High Reliability, Conformally Coated, Vertically Stacked, Style PS06 (No S/S Document) [CUST: CR EC 11 CC NA] [REVIEW: 19 99 AR AT AV CR4 MC MI]	A	5910		CR	23-MAY-2006
M	MIL-R-51080A(1) NOT 2	Radioactive Source Set, M3A1 (No S/S Document) [CUST: CR] [REVIEW: EA GS]	A	6665		CR	18-MAY-2006
M	AA-O-00250/2E NOT 2	Office Furniture, Credenza, Wood Unitized (Detailed Specification) (No S/S Document)	A	7110	#	FSS	02-JUN-2006
M	AA-O-00250/6F NOT 2	Office Furniture, Tables, Wood, Unitized (Detailed Specification) (No S/S Document)	A	7110	#	FSS	02-JUN-2006
M	MIL-F-83142A NOT 5	Forging, Titanium Alloys, Premium Quality (See Notice 5 for Replacement Information) [CUST: 11] [REVIEW: 84 99]	A	9530		11	15-MAY-2006